

Recommended Vaccines for Children from 7 to 18 Years

Child's Name:
Date of Birth:

"Recommended Vaccines for Children from 7 to 18 Years" was created and translated Sept 12, 2024 by [M-HEAL](#). [English]

This document is based on recommendations of the U.S. Centers for Disease Control and Prevention as of Sept 12, 2024.

If your child will be traveling outside the U.S., lives in a region where dengue infections are common, has questions about Mpox, or has a health condition that can weaken the immune system, ask their doctor whether any additional vaccines are needed.

If your child has not yet received all of their early childhood vaccines, see "Recommended Vaccines for Children Birth to 6 Years." Your doctor will make a different plan to ensure they get caught up on all their vaccines.

	Age in Years											
	7	8	9	10	11	12	13	14	15	16	17	18
COVID-19*	☐ COVID-19 (every year)*											
Influenza (Flu)*	☐ Flu (every year)*											
Tetanus, Diptheria, and Pertussis (Tdap)					☐ Tdap							
Human papilloma virus (HPV)**			☐ HPV (2 or 3 doses)**									
Meningococcal disease (M)					☐ M					☐ M		
Respiratory syncytial virus (RSV)					☐ If pregnant during RSV season							

Additional information:

*COVID-19 and Flu: One dose every year for most children; some children will need additional doses.

**HPV: For children ages 9 through 14 years, there are 2 doses of HPV. For children who receive the first dose at age 15 or older, there are 3 doses of HPV.